

# FILE NOTATIONS

Entered in NID File ☒

Entered On S R Sheet \_\_\_\_\_

Location Map Pinned \_\_\_\_\_

Card Indexed ☒

IWR for State or Fee Land \_\_\_\_\_

Checked by Chief \_\_\_\_\_

Copy NID to Field Office \_\_\_\_\_

Approval Letter \_\_\_\_\_

Disapproval Letter \_\_\_\_\_

## COMPLETION DATA:

Date Well Completed \_\_\_\_\_

Location Inspected \_\_\_\_\_

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_

Bond released \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA \_\_\_\_\_

State of Fee Land \_\_\_\_\_

## LOGS FILED

Driller's Log \_\_\_\_\_

Electric Logs (No. ) \_\_\_\_\_

E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_

Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☒GAS  
WELL ☐

OTHER

SINGLE  
ZONE ☐MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

Gulf Oil Corporation

## 3. ADDRESS OF OPERATOR

P.O. Box 2619 Casper, WY 82601 Tele: 1-307-235-1311

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*)

At surface

1925' FSL 1864' FEL Section 15, T8S, R21E, S.L.B. & M.  
At proposed prod. zone

NW SE

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

Casper, Utah 8.5 miles Southwest

## 15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drig. unit line, if any)

1864'

18. DISTANCE FROM PROPOSED LOCATION\*  
TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

3000'

## 16. NO. OF ACRES IN LEASE

2480

## 19. PROPOSED DEPTH

5500'

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40

## 20. ROTARY OR CABLE TOOLS

Rotary

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4797'

## 22. APPROX. DATE WORK WILL START\*

August 15, 1980

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
	See 10 Point	Drilling Compliance	Program	

Attachments:

Exhibit "A" - (10 Point Compliance Program)

Exhibit "B" - BOP and Auxiliary Equipment

Certified Survey Plat

13 Point Use Plan and Arrachmnets:

Rig Layout

Topo Map "A"

Topo Map "B"

APPROVED BY THE DIVISION  
OF OIL, GAS, AND MINING

DATE: 7-8-80

BY: M. J. Munder

RECEIVED  
JUL 07 1980DIVISION OF  
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

Emmitt C. Booker

TITLE Drilling Representative

DATE July 3, 1980

(This space for Federal or State office use)

PERMIT NO.

43-047-30745

APPROVAL DATE

7/8/80

APPROVED BY


TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions On Reverse Side

T 8 S , R 2 I E , S.L.B. & M.



X = Section Corners Located

PROJECT

GULF OIL CORPORATION

Well location, **WONSITS VALLEY**  
#124, located as shown in the  
NW 1/4 SE 1/4 Section 15, T8S,  
R2IE, S.L.B. & M. Uintah County,  
Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY  
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

*[Signature]*  
REGISTERED LAND SURVEYOR  
REGISTRATION NO 2454  
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING  
P.O. BOX 9 - 110 EAST - FIRST SOUTH  
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	6/25/80
PARTY	DA TJ MH RP	REFERENCES	GLO Plat
WEATHER	Fair	FILE	GULF OIL

### PROPOSED LOCATION

MAP "A"



SCALE - 1" = 4 MILES



United States Department of the Interior  
Geological Survey  
2000 Administration Bldg.  
1745 West 1700 South  
Salt Lake City, Utah 84104

USUAL ENVIRONMENTAL ASSESSMENT

Date: August 7, 1980

Operator: Gulf Oil                      Project or Well Name and No.: #124  
Location: 1925' FSL & 1864' FEL      Sec. 15, T. 8S, R. 21E  
County: Uintah                      State: Utah                      Field/Unit: Wonsit Valley  
Lease No.: U-0806                      Permit No.: N/A

Joint Field Inspection Date: August 5, 1980

Prepared By: Craig Hansen

Field Inspection Participants, Titles and Organizations:

Craig M. Hansen	USGS - Vernal
Dale Hanburg	BIA Fort Duchesne
Gene Stewart	Uintah Engineering
Gene McKenney	Gulf Oil Company
Jack Skews	Skew & Hamilton Construction
Floyd Murry	D.E. Casada Construction

Related Environmental Documents:

b1c-8-7-80

*Drill pad 155' x 300'*  
*Reserve pit 75' x 150'*  
*New access road 18' x 300'*  
*1.5 acres disturbed area*  
*Conditions of approval p. 6(1-2)*  
*Administratively complete?*

## DISCRIPTION OF PROPOSED ACTION

Proposed Action:

1. Location State: Utah

County: Uintah

1925' FSL, 1864' FEL,  $\frac{1}{4}$ ,  $\frac{1}{4}$ 

Section 15, T. 8S, R. 21E, M.

2. Surface Ownership Location: Indian

Access Road: Indian

Status of

Reclamation Agreements: Not Applicable

3. Dates APD Filed: July 7, 1980APD Technically Complete: July 21, 1980

APD Administratively Complete: \_\_\_\_\_

4. Project Time Frame

Starting Date: Upon Approval.Duration of drilling activities: 90 days.

A period of 30 to 60 days is normally necessary to complete a well for production if hydrocarbons are discovered. If a dry hole is drilled, recontouring and reseeding would normally occur within one year; revegetation or restoration may take several years. If the well is a producer, an indefinite period of time would occur between completion and rehabilitation.

5. Related actions of other federal or state agencies and Indian tribes:

None Known

6. Nearby pending actions which may affect or be affected by the proposed action:

None Known

7. Status of Variance Requests:

None Known

The following elements of the proposed action would/could result in environmental impacts:

1. A drill pad 155' wide x 300' long and a reserve pit 75' x 150' would be constructed. Approximately 300 feet of new access road, averaging a at 18' driving surface, would be constructed from a maintained road. 1.5 acres of disturbed surface would be associated with the project. Maximum disturbed width of access road would be limited to 24'.
2. Drilling
3. Waste Disposal
4. Traffic
5. Water Requirements
6. Completion
7. Production
8. Transportation of Hydrocarbons

Details of the proposed action are described in the Application for Permit to Drill.

Environmental Considerations of the Proposed Action:

Regional Setting/Topography: Uintah Basin: Province

The area consists of weathered sandstone and shale and buttes and bluffs of the Uinta Formation. These buttes and bluffs are relatively flat on top with steep weathered sides. The valleys that surround the buttes and bluffs slope gently to rugged dissected dendritic drainage patterns. This type of drainage is usually non-perennial in nature.

PARAMETER

A. Geology:

1. Other Local Mineral Resources to be Protected: Possible oil shale in Green River formation and Uinta formation. Possible small saline pods in Green River formation.

Information Source: Mineral Evaluation Report.

2. Hazards

- a. Land Stability: The surface would remain relatively stable until soil became saturated then heaving, sluffing and heavy erosion would take place due to the saturation of the clays and shales at the surface.

Information Source: Field Observation

- b. Subsidence: Withdrawal of fluids could cause subsidence, however the composition of the producing zones will reduce this hazard, therefore, none is anticipated.

Information Source: "Environmental Geology", EA Teller; Physical Geology, Leet and Judson.

c. Seismicity: The area is considered a minor risk - no preventive measures or plans have been presented by the operator.

Information Source: Geologic Atlas of the Rocky Mountain Region.

d. High Pressure Zones/Blowout Prevention: No high pressures are anticipated above the Wasatch. Although slight over pressuring may be expected in the upper Wasatch formation.

Information Source: APD Mineral Evaluation Report.

## B. Soils

1. Soil Character: Is a deep mildy to strongly alkaline soils. The surface layers are pale brown and light gray loams, silty clay loams and clays. Sand and gravels are intermixed with clays and silts in fulvial washes.

Information Source: Soils of Utah, Wilson and Field Observation

2. Erosion/Sedimentation: This would increase due to the disruption of vegetation and loosley compacted "A & B" soil horizons of clay and shale. Clay and shale leave a higher rate of erosion due to their grain size and compaction capabilities. Proper construction practices would reduce this impact.

Information Source: "Fluvial Processes in Geomorphology" by Luna B. Leopold, M. Gordon Wolman, and John P. Miller, 1946. "Soils of Utah", Wilson.

C. Air Quality: The area is in a class II containment. There would be a minor increase in air pollution due to emissions from construction and support traffic engines. Particulate matter would increase due to dust from travel over unpaved dirt roads.

Information Source: Utah State Health Department/Air Quality Bureau in Salt Lake City, Utah.

D. Noise Levels: Noise from the drilling operation may temporarily disturb wildlife and people in the area. Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels would be infrequent and significantly less. If the area is abandoned, noise levels should return to predrilling levels.

Information Source: Field Observation

## E. Water Resources

### 1. Hydrologic Character

a. Surface Waters: The location drains south by a non perennial drainage to the White River 8 miles south of the location.

Information Source: Field Observation, APD

b. Ground Waters: Ground water is anticipated in the Birds-eye member of the Green River Formation and other less productive aquifers of the Green River Formation.



Information Source: Mineral Evaluation Report

2. Water Quality

a. Surface Waters: No contamination to surface water is anticipated by this drilling program. Proper construction of location and lining reserve pits where needed would insure safe operations.

Information Source: Field Observation

b. Ground Waters: Some minor pollution of ground water systems would occur with the introduction of drilling fluids (filtrate) into the aquifer. Potential communication, contamination, and commingling of formations via the wellbore would be prevented by an adequate response drilling fluid program. The depths of fresh water formations are listed in the 10-point Subsurface Protection Plan.

Information Source: 10-Point Plan

F. Flora and Fauna

1. Endangered and Threatened Species Determination

Based on the formal comments received from the Bureau of Indian Affairs, Fort Duchesne on 8-14-80, we determine that there would be no effect on endangered and threatened species and/or their critical habitat.

2. Flora: Minimum amounts of vegetation exist on the location. Greasewood Chad scale exist on the outer edge of the proposed location.

Information Source: Field Observation

3. Fauna: Deer antelope, small rodents, birds and reptiles, foxes, coyotes and domestic livestock exist on or near the location.

Information Source: Field Observation

G. Land Uses

1. General: The area is used primarily for oil and gas operations although grazing and recreation takes place throughout the year.

Information Source: APD, Field Observation, SMA Representative.

2. Affected Floodplains and/or Wetlands: N/A

Information Source: Field Observation

3. Roadless/Wilderness Area: N/A

Information Source: Field Observation

- H. Aesthetics: Operations do not blend in with natural surroundings and could present a visual impact. Painting any permanent equipment a color to blend with the surrounding environment would lessen visual impacts.

Information Source: Field Observation

- I. Socioeconomics: Drilling and production operations are small in size, but contribute substantial financial income to residents of the surrounding area. Local people are used whenever possible. This allows greater economic development of the area.

Information Source: C.M. Hansen, resident of the Uintah Basin

- J. Cultural Resources Determination: Based on the formal comments received from BIA Fort Duchesne on 8-14-80, we determine that there would be no effect on cultural resources subject to recommended stipulations by USGS and BIA.

Information Source: SMA Concurrence

- L. Adequacy of Restoration Plans: Meet the minimum requirements of NTL-6. The erodibility of area soils could hamper restoration which should commence immediately after drilling or completion. Restoration to pre-drilling conditions could be difficult. The areas short growing season and limited precipitation govern restoration success.

Information Source: APD, Cody M. Hansen, Environmental Scientist, and Field Observation.

#### Alternatives to the Proposed Action:

1. Disapproving the proposed action or no action - If the proposed action is denied, no action would occur, the existing environment would remain in its present state, the lessee/operator would not realize any return on investments and the public would be denied a potential energy source.
2. Approving the project with the recommended stipulations - Under federal oil and gas leasing provisions, the Geological Survey has a responsibility to approve mineral development if the environmental consequences are not too severe or irreversible. Permanent damage to the surface and subsurface would be prevented as much as possible under USGS and Surface Management Agency supervision. Environmental impacts would be significantly mitigated.

#### Adverse Environmental Effects:

1. If approved as proposed:
  - a. About 1.5 acres of vegetation would be removed, increasing and accelerating erosion potential.
  - b. Pollution of groundwater systems would occur with the introduction of drilling fluids into the aquifer(s). The potential for interaquifer leakage and lost circulation is ever-present, depending on the casing program.
  - c. Minor air pollution would be induced on a temporary basis due to exhaust emissions from rig engines and support traffic.
  - d. The potential for fires, leaks, spills of gas and oil or water exists.

- e. During construction and drilling phases of the operation, noise and dust levels would increase.
- f. Distractions from aesthetics during the lifetime of the project would exist.
- g. Erosion from the site would eventually be carried as sediment in the White River. The potential for pollution to White River would exist through leaks and spills.
- h. If hydrocarbons would be discovered and produced, further development of the area could be expected to occur, which would result in the extraction of an irreplaceable resource, and further negative environmental impacts. These impacts include the cumulative loss of wildlife habitat due to the areas necessary for roads, pipelines, drillsites, and transmission lines. These actions may disrupt wildlife social behavior and force habitat relocation over an extended period of time; In addition, the cumulative effects of non-point erosion become substantial in a developing field, primarily those located near perennial streams where siltation and sedimentation are critical to aquatic life cycles.

## 2. Conditional approval

- a. All adverse impacts described in section one above would occur.

### Recommended Approval Conditions:

Drilling should be allowed, provided the following mitigative measures are incorporated into the proposed APD and adhered to by the operator:

- 1. See attached Lease Stipulations.
- 2. See attached BIA Stipulations.

### Controversial Issues and Conservation Division Response:

No controversial issues were found by the writer.

We have considered the proposed action in the preceding pages of this EA and find, based on the analysis of environmental considerations provided therein, no evidence to indicate that it will significantly (40 CFR 1508.27) impact the quality of the human environment.

### Determination

I determine that the proposed action (as modified by the recommended approval conditions) does not constitute a major Federal action significantly affecting the quality of the human environment in the sense of NEPA, Section 102(2)(C).

*W. P. Martin*


FOR

E. W. GUYNN  
DISTRICT ENGINEER

SEP 22 1980

Signature & Title of Approving Official

Date



Gulf oil #124  
Levensit valley  
Looking north

GULF OIL CORPORATION  
13 Point Surface Use Plan  
for  
Well Location  
Wonsits Valley #124  
Located In  
Section 15, T8S, R21E, S.L.B. & M.  
Uintah County, Utah

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

1. EXISTING ROADS

See attached Topographic Map "A".

To reach GULF OIL CORPORATION Well Location Wonsits Valley #124, located in the NW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 15, T8S, R21E, S.L.B. & M. Uintah County, Utah; proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 14 miles to the junction of this highway and Utah State Highway 209; proceed South along Utah State Highway 209 - 7 miles more or less to the junction of this highway and the Utah State Highway 88; proceed South along the Utah State Highway 88 - 10 miles to Ouray, Utah; proceed South out of Ouray approximately 0.4 miles across the Green River, to the junction of this road and an existing Uintah County road to the East; proceed Easterly along this road approximately 2.5 miles to its junction with an existing oil field service road to the Northeast; proceed Northeasterly on this road approximately 1.2 miles to the junction of this road and an existing oil field service road to the Northeast; proceed Northeasterly along this road approximately 4.4 miles to its junction with the proposed access road (to be discussed in item #2).

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to Ouray, Utah at which point the road is surfaced with native asphalt for approximately the first 4.4 miles of road used to reach the proposed location and then is a gravel surface to the aforementioned proposed access road.

The highways mentioned above are state administered and are maintained by their crews, and the county road mentioned above is maintained by county crews.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The planned access road leaves the existing road described in Item #1 in the NW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 15, T8S, R21E, S.L.B. & M. and proceeds in a Northwesterly direction approximately 300'  $\pm$  to the proposed location site.

This planned road traverses over relatively flat land with very little elevation change. It is not anticipated that the grade of this road will be more than 4%, however, the maximum grade will not exceed 8%. The vegetation along this road consist of sagebrush, grasses, and cacti, with large amounts of bare earth devoid of any vegetation.

In order to facilitate the anticipated traffic flow necessary to drill and produce this well, the following standards will be met:

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

2. PLANNED ACCESS ROAD - cont...

Back slopes along the cut areas of the road will be  $1\frac{1}{2}$  to 1 slopes and terraced.

There will be no culverts required along this road. It is not anticipated at this time that there will be any turnouts required along this road, however, if at the time of the onsite inspection it is determined that a turnout is necessary it will be installed according to the specifications found in the Oil and Gas Surface Operating Manual.

There are no fences encountered along this road, there will be no cattle-guards or gates required.

All of the lands involved in this action are under B.I.A. jurisdiction.

3. LOCATION OF EXISTING WELLS.

See Topographic Map "B".

There are four existing gas wells within a one-mile radius of the location site.

There are no known water wells, abandoned wells, disposal wells, drilling wells, shut-in wells, injection wells, monitoring or observation wells for other resources within a one-mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

There are no other Gulf Oil Corporation tank batteries production facilities, oil gathering lines, gas gathering lines, injection lines or disposal lines within a one-mile radius of this location site.

In the event production is established; the produced fluids will be contained within temporary storage facilities until plans can be made and submitted to the appropriate authorities for distribution of the produced product.

The area to be used in the containment will be built of possible, with native materials and if these materials are not available then the necessary arrangements will be made to get them from private sources.

These facilities will be constructed using bulldozers, graders, and workman crews to construct and place the proposed facilities.

If there is any deviation from the above, all appropriate agencies will be notified.

Rehabilitation of disturbed areas no longer needed for operations after construction is completed will meet the requirements of Item #10.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

5. LOCATION AND TYPE OF WATER SUPPLY

See Topographic Map "B".

Water to be used in the drilling of this well will be hauled from the Green River near the junction of the Watson Road and Highway 88, in Sec. 33, T8S, R20E, S.L.B. & M. This water will be hauled by truck over existing roads  $\pm$  8.4 miles to the location site.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction materials for this location site and access road shall be borrow materials accumulated during construction of the location site and access road. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of sandy-clay soil and sandstone and shale material gathered during the actual construction of the road and location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A reserve pit will be constructed.

The reserve pit will vary in size and depth according to the water table at the time of drilling.

One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one-half will be used to store non-flammable materials such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

If deemed necessary by the agencies concerned, to prevent contamination to surrounding areas, the reserve pits will be lined with a gel.

The pits will have wire and overhead flagging installed at such time as deemed necessary to protect the water fowl, wildlife, and domestic animals.

At the onset of drilling, the reserve pit will be fenced on three sides and at the time the drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that backfilling and reclamation activities are attempted.



GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

7. METHODS OF HANDLING WASTE DISPOSAL - cont...

When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements of Item #10 will be followed.

A portable trash basket will be placed on the location site and all trash will be hauled to the nearest Sanitary Landfill.

A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See Location Layout Sheet.

The B.I.A. Representative shall be notified before any construction begins on the proposed location site.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type material necessary to make them safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See Location Layout Sheet and Item #9). When all drilling and production activities have been completed, the location site will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during the construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash pit shall be buried with a minimum of 5' of cover.

Restoration activities shall begin within 90 days after completion of the well. Once restoration activities have begun, they shall be completed within 30 days.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

10. PLANS FOR RESTORATION OF SURFACE - cont...

When Restoration activities have been completed, the location site shall be reseeded with a seed mixture recommended by the B.I.A. Representative when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner, and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area (See Topographic Map "A".)

The area is a large basin formed by the Uinta Mountains to the North and the Book Cliff Mountains to the South. The White River is located approximately 3.5 miles to the South of the location site.

The basin floor is interlaced with numerous canyons and ridges formed by the non-perennial streams of the area. The sides of these canyons are steep and ledges formed in the sandstone, conglomerates, and shale deposits are extremely common to the area.

The geologic structures of the area that are visible are of the Uinta Formation (Eocene Epoch) Tertiary Period in the upper elevations and the cobblestone and younger alluvial deposits from the Quaternary Period.

Outcrops of sandstone ledges, conglomerate deposits, and shale are common in this area.

The topsoils in the area range from a light brownish-gray sandy-clay (SM-ML) type soil with poorly graded gravels to a clayey (OL) type soil.

The majority of the numerous washes and streams in the area are of a non-perennial nature flowing during the early spring run-off and extremely heavy rainstorms of long duration which are extremely rare as the annual rainfall in the area is only 8".

The White River to the South of this location is the only perennial stream that is affected by this location site.

Due to the low precipitation average, climate conditions, and the marginal types of soils, the vegetation that is found in the area is common of the semi-arid region we are located in; it consists of areas of sagebrush, rabbitbrush, some grasses, and cacti as the primary flora. This is also true of the lower elevations.

The fauna of the area consists predominantly of the mule deer, pronghorn antelope, coyotes, rabbits, and varieties of small ground squirrels and other types of rodents. The area is used by man for the primary purpose of grazing domestic sheep and cattle.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

11. OTHER INFORMATION - cont...

The birds of the area are raptors, finches, ground sparrows, magpies, crows and jays.

The Topography of the Immediate Area (See Topographic Map "B").

Wonsits Valley #124 is located on a relatively flat plateau area which slopes gradually to the Southwest at approximately a 2% grade.

The vegetation in the immediate area surrounding the location site consists of grasses and sparse amounts of sagebrush.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

Emmitt Booher  
Gulf Oil Corporation  
P.O. Box 2619  
Casper, WY 82601

Tele: 1-307-235-1311

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by GULF OIL CORPORATION & its contractors and subcontractors in conformity with this plan and terms and conditions under which it is approved.

July 3, 1980  
DATE

Emmitt Booher  
EMMITT BOOHER

\*\* FILE NOTATIONS \*\*

DATE: July 7, 1980  
Operator: Gulf Oil Corporation  
Well No: Wrights Valley Unit #124  
Location: Sec. 15 T. 8S R. 21E County: Montah  
File Prepared: ☒ Entered on N.I.D.: ☒ <sup>N</sup>ER  
Card Indexed: ☒ Completion Sheet: ☒  
☒ API Number 43-047-30745

CHECKED BY:

Geological Engineer: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Petroleum Engineer: M.S. Minder 7-8-80  
\_\_\_\_\_  
\_\_\_\_\_  
~~Director:~~ OK on Unit boundary spacing

APPROVAL LETTER:

Bond Required: ☐ Survey Plat Required: ☐  
Order No. \_\_\_\_\_ O.K. Rule C-3 ☐  
Rule C-3(c), Topographic Exception/company owns or controls acreage  
within a 660' radius of proposed site ☐  
Lease Designation Adh. Plotted on Map ☒  
Approval Letter Written ☒

W  
PI

ltm

July 9, 1980

Gulf Oil Corporation  
P.O. Box 2619  
Casper, Wyoming 82601

RE: Wonsits Valley Unit #123, Sec. 15, T. 8S, R. 21E., Uintah County, Utah  
Wonsits Valley Unit #124, Sec. 15, T. 8S, R. 21E., Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil wells is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer  
Office: 533-5771  
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API numbers assigned to these wells are #123: 43-047-30744;  
#124: 43-047-30745.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder  
Petroleum Engineer

/btm

cc: USGS

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☒GAS  
WELL ☐OTHER ☐SINGLE  
ZONE ☐MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

Gulf Oil Corporation

## 3. ADDRESS OF OPERATOR

P.O. Box 2619 Casper, WY 82601 Tele: 1-307-235-1311

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*)

At surface

1925' FSL 1864' FEL Section 15, T8S, R21E, S.L.B. &amp; M.

At proposed prod. zone

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

Ouray, Utah 8.5 miles Southwest

## 15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any)

1864'

## 16. NO. OF ACRES IN LEASE

2480

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40

## 18. DISTANCE FROM PROPOSED LOCATION\*

TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

3000'

## 19. PROPOSED DEPTH

5500'

## 20. ROTARY OR CABLE TOOLS

Rotary

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4797'

## 22. APPROX. DATE WORK WILL START\*

August 15, 1980

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
	See 10 Point	Drilling Comp		

Attachments:

Exhibit "A" - (10 Point Compliance Program)

Exhibit "B" - BOP and Auxiliary Equipment

Certified Survey Plat

13 Point Use Plan and Arrachmnets:

Rig Layout

Topo Map "A"

Topo Map "B"

State of Utah, Department of Natural Resources  
Division of Oil, Gas, and Mining  
1588 West North Temple  
Salt Lake City, Utah 84116

RECEIVED

OCT 27 1980

DIVISION OF  
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

*Emmitt E. Booher*

TITLE Drilling Representative

DATE July 3, 1980

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

(Orig. Sgd.) A. M. RAFFOUL

FOR

E. W. GUYNN  
DISTRICT ENGINEER

APPROVED BY

TITLE

DATE OCT 23 1980

CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED  
TO OPERATOR'S COPY

\*See Instructions On Reverse Side

FLARING OR VENTING OF  
GAS IS SUBJECT TO NTL 4-A  
DATED 1/1/80

NOTICE OF APPROVAL

at State Oil &amp; Gas

NEGATIVE DECLARATION

APPROVAL BY SECRETARY OF THE INTERIOR OF Application to Drill and  
Oil Well ~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~

TO Gulf Oil Corp., ~~XXXXXXXXXX~~ COVERING THE FOLLOWING  
DESCRIBED TRUST INDIAN LANDS IN Uintah COUNTY, STATE OF UTAH.

LEGAL DESCRIPTION:

Located approximately 9 miles east of Ouray, Utah in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ , Sec. 15,  
T8S., R21E., SLB&M.

OWNERSHIP

XX Surface Ute Tribe

XX Sub-Surface Non-Indian


IT HAS BEEN DETERMINED AFTER REVIEW OF THE ACCOMPANYING ENVIRONMENTAL ANALYSIS,  
THAT THE APPROVAL OF THIS application IS NOT SUCH A MAJOR FEDERAL ACTION  
SIGNIFICANTLY AFFECTING THE QUALITY OF THE HUMAN ENVIRONMENT AS TO REQUIRE THE  
PREPARATION OF AN ENVIRONMENTAL IMPACT STATEMENT UNDER SECTION 102 (2) (c) OF  
THE NATIONAL ENVIRONMENTAL POLICY ACTION OF 1969 (42 U.S.C. § 4332 (2) (c)).

8-12-80  
DATE

L.W. Collins  
SUPERINTENDENT

FY: '80-78

LEASE NO. U-0806  
WELL NO. 124



UINTAH AND OURAY AGENCY  
ENVIRONMENTAL IMPACT ANALYSIS

1. PROPOSED ACTION: Gulf Oil Corporation proposes to drill an Oil well (124) to, a proposed depth of 5500 feet; to construct approximately 0.1 (~~feet~~, miles) of new access road; and upgrade approximately 0 (~~feet~~, miles) of existing access road.
2. LOCATION AND NATURAL SETTING: The proposed wellsite is located approximately 9 miles East of Ouray, Utah in the NW 1/4 Sec. 15 T. 8S., R. 21E, SLB&M meridian. This area is used for Livestock and wildlife.  
The topography is rolling hills.  
The vegetation consist of four wing salt bush, shadscale, Indian rice grass, galletta grass.  
Wildlife habitat for: Deer X Antelope Elk Bear X Small Mammals  
X Birds Endangered species Other Reptiles and insects.
3. EFFECTS ON ENVIRONMENT BY PROPOSED ACTION:  
A. Vegetation will be destroyed on the access road and at the well site.  
B. Scenic qualities will be affected.  
C. Dust and exhaust from equipment may affect air quality.
4. ALTERNATIVES TO THE PROPOSED ACTION: No other alternatives were considered.
5. ADVERSE EFFECTS THAT CANNOT BE AVOIDED:  
None of the adverse affects listed in item #3 above can be avoided in a practical manner.
6. DETERMINATION: This request action (~~does~~) (does not) constitute a major Federal action significantly affecting the quality of the human environment as to require the preparation of an environmental impact statement under Section 102 (2)(c) of the National Environmental Policy Act of 1969 (42 U.S.C. s 4332 (2)(c)).

REPRESENTATIVE:

Cliff Heeny - Ross Const.  
Jack Skews - Skews & Hamilton Const.  
Floyd Murray - D.E. Casada Const.

*Cliff Heeny* 8-12-80  
BIA Representative Date

COPY TO:

USGS, P.O. BOX 1037, Vernal, Utah 84078  
USGS, Dist, Engr., Cons. Div., 8426 Federal Building., Salt Lake City, Utah 84138  
Graig Hansen - USGS  
Gene McKenney - Gulf

Lease #. U-0806  
Well #. 124





Memorandum

To: USGS District Engineer

From: Surface Managing Agency

Subject: Gulf Oil Corporation, well 124  
in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ , Sec. 15., T8S., R21E., SLB&M

We (concur with or, recommend) approval of the Application for Permit to Drill the subject well.

Based on available information on 8-5-80, we have cleared the proposed location in the following areas of environmental impact:

Yes ☒ No ☐ Listed threatened or endangered species

Yes ☒ No ☐ Critical wildlife habitat

Yes ☐ No ☒ Historical or cultural resources

Yes ☒ No ☐ Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)


Yes ☒ No ☐ Other (if necessary)

Remarks: \_\_\_\_\_  
\_\_\_\_\_

The necessary surface protection and rehabilitation requirements are enclosed.

Enclosure

*David D. Hanberg*





United States Department of the Interior *Cosby*

GEOLOGICAL SURVEY  
Conservation Division  
8440 Federal Building  
Salt Lake City, Utah 84138

*Well # 124  
15-8S-21E  
Quintah County  
Sundance Corp  
ER # 552-80*

Mr. Peter Rutledge  
Area Oil Shale Supervisor  
Area Oil Shale Office  
131 North Sixth, Suite 300  
Grand Junction, Colorado 81501

Dear Mr. Rutledge,

The Office of Oil and Gas Operations, Conservation Division, received the attached Application for Permit to Drill, Deepen, or Plug Back (Form 9-331C).

Please review this proposal for any conflict with any of the resources in the oil shale tracts and withdrawal areas. If needed, set forth the stipulations you determine necessary for adequate protection. Please use the following space for your response (if there is none, so state), together with date and initials of person responsible and return to the Office of Oil and Gas Operations.

U.S. Geological Survey  
8440 Federal Building  
125 South State Street  
Salt Lake City, Utah 84138

Gulf Oil #124  
Sec. 15, T8S, R21E

July 29, 1980

Proposed casing and cementing program only addresses protection of the base of the Green River oil shale section. Cement intervals for the 5½" casing should also include protection of the Mahogany oil shale zone and protection at the top of the Green River section. Depth to the Mahogany is about 3300'. Proposed program is not acceptable to this office unless the cementing program is revised to insure adequate protection of the oil shale section.

*Ray A. Brady*  
Ray A. Brady  
Geologist

Memorandum

*Cody*

*Gulf Oil Corp.*  
*15-85-21E*

To: District Oil and Gas Engineer, Mr. Edward Gynn

From: Mining, Supervisor, Mr. Jackson W. Moffitt

Subject: Application for Permit to Drill (form 9-331c) Federal oil and gas lease No. U-0806 Well No. 124

1. The location appears potentially valuable for:

- ☐ strip mining\*
- ☒ underground mining\*\* *oil shale*
- ☐ has no known potential.

2. The proposed area is

- ☐ under a Federal lease for \_\_\_\_\_ under the jurisdiction of this office.
- ☒ not under a Federal lease under the jurisdiction of this office.
- ☒ Please request the operator to furnish resistivity, density, Gamma-Ray, or other appropriate electric logs covering all formations containing potentially valuable minerals subject to the Mineral Leasing Act of 1920.

\*If location has strip mining potential:

Surface casing should be set to at least 50 feet below the lowest strip minable zone at \_\_\_\_\_ and cemented to surface. Upon abandonment, a 300-foot cement plug should be set immediately below the base of the minable zone.

\*\*If location has underground mining potential:





The minable zones should be isolated with cement from a point 100 feet below the formation to 100 feet above the formation. Water-bearing horizons should be cemented in like manner. Except for salines or water-bearing horizons with potential for mixing aquifers, a depth of 4,000 feet has been deemed the lowest limit for cementing.

Signed *Allen J. Davis*




# GULF OIL CORPORATION

WONSITS VALLEY #124

SCALE - 1" = 50'



C  
R  
O  
S  
S  
  
S  
E  
C  
T  
I  
O  
N  
S



1" = 10'

Scales

1" = 50'

APPROXIMATE YARDAGES

Cubic Yards of Cut - 732

Cubic Yards of Fill - 694

# GULF OIL CORP.

WONSITS VALLEY #12

PROPOSED LOCATION


TOPO. MAP "B"

SCALE - 1" = 2000'


ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt - - - - -

U.S. Route      State Route



QUADRANGLE LOCATION






EXHIBIT "A"

TEN POINT COMPLIANCE PROGRAM

NTL 6

Attached to Form 9-331C

WELL NAME: Wonsits Valley #124

LOCATION: Section 15, T8S, R21E, S.L.B. & M.

Uintah County, STATE OF Utah

1. GEOLOGIC SURFACE FORMATION

Tertiary Uinta Formation

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS

TGR 1 Uinta 0-4590

TGR 2 Green River 4590' to 5500' T.D.

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS or MINERALS

Water - 0 - 4590'

Oil & Gas - 4590' to 5500' T.D. Green River Oil & Gas

4. PROPOSED CASING PROGRAM

(a) Surface Casing: 12 $\frac{1}{4}$ " hole 1000" New 9 5/8 3# K55 STC  
1000' Cement to Surface

(b) Production Casing: 8 3/4" hole 1000' to 5500' 5 $\frac{1}{2}$ " casing  
15.5# K55 STC 5500' 300 Sacks Cement.

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

EXHIBIT "B" is a schematic diagram of the blowout preventer equipment. The BOP's will be hydraulically tested to the full working pressure after nipping up and after any use under pressure. Pipe rams will be operationally checked each 24- hr period, as will blind rams each time pipe is pulled out of the hole. Such checks of BOP will be noted on daily drilling reports.

Accessories to BOP include a kelly cock, floor safety valve, drill string BOP and choke manifold with pressure rating equivalent to the BOP stack.

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATING MUDS

0' - 1000' - Salt Water & Salt Gell

1000' - 5500' Mud 10.5 lb per Gallon Viscosity 35 Water Loss 20%

7. AUXILIARY EQUIPMENT TO BE USED

10" 3000# Safety Valve, inside BOP, Upper and Lower Kelly, Cock, Mud Monitoring Equipment (See Exhibit "A")

8. TESTING, LOGGING AND CORING PROGRAMS

- (a) 5190' to 5470' Lower Green River
- (b) No drill stem tests anticipated
- (c) Induction Logs at T.D.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE


None

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS



The anticipated\*starting date is to be approximately or as soon as possible after examination and approval of drilling requirements. Operations should be completed within 90 days from spudding to rig release.



12" BOP  
System



10" BOP  
System



# TEST SCHEDULE

- 12" BOP system & 13-3/8" casing to 2500 psi
- 10" BOP system & choke manifold to 5000 psi
- 9-5/8" Casing to 3500 psi

5000 PSI  
CHOKES MANIFOLD

GULF OIL CORPORATION

13 Point Surface Use Plan

for

Well Location

Wonsits Valley #124

Located In

Section 15, T8S, R21E, S.L.B. & M.

Uintah County, Utah

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

1. EXISTING ROADS

See attached Topographic Map "A".

To reach GULF OIL CORPORATION Well Location Wonsits Valley #124, located in the NW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 15, T8S, R21E, S.L.B. & M. Uintah County, Utah; proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 14 miles to the junction of this highway and Utah State Highway 209; proceed South along Utah State Highway 209 - 7 miles more or less to the junction of this highway and the Utah State Highway 88; proceed South along the Utah State Highway 88 - 10 miles to Ouray, Utah; proceed South out of Ouray approximately 0.4 miles across the Green River, to the junction of this road and an existing Uintah County road to the East; proceed Easterly along this road approximately 2.5 miles to its junction with an existing oil field service road to the Northeast; proceed Northeasterly on this road approximately 1.2 miles to the junction of this road and an existing oil field service road to the Northeast; proceed Northeasterly along this road approximately 4.4 miles to its junction with the proposed access road (to be discussed in item #2).

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to Ouray, Utah at which point the road is surfaced with native asphalt for approximately the first 4.4 miles of road used to reach the proposed location and then is a gravel surface to the aforementioned proposed access road.

The highways mentioned above are state administered and are maintained by their crews, and the county road mentioned above is maintained by county crews.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The planned access road leaves the existing road described in Item #1 in the NW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 15, T8S, R21E, S.L.B. & M. and proceeds in a Northwesterly direction approximately 300'  $\pm$  to the proposed location site.

This planned road traverses over relatively flat land with very little elevation change. It is not anticipated that the grade of this road will be more than 4%, however, the maximum grade will not exceed 8%. The vegetation along this road consist of sagebrush, grasses, and cacti, with large amounts of bare earth devoid of any vegetation.

In order to facilitate the anticipated traffic flow necessary to drill and produce this well, the following standards will be met:

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

2. PLANNED ACCESS ROAD - cont...

Back slopes along the cut areas of the road will be  $1\frac{1}{2}$  to 1 slopes and terraced.

There will be no culverts required along this road. It is not anticipated at this time that there will be any turnouts required along this road, however, if at the time of the onsite inspection it is determined that a turnout is necessary it will be installed according to the specifications found in the Oil and Gas Surface Operating Manual.

There are no fences encountered along this road, there will be no cattle-guards or gates required.

All of the lands involved in this action are under B.I.A. jurisdiction.

3. LOCATION OF EXISTING WELLS.

See Topographic Map "B".

There are four existing gas wells within a one-mile radius of the location site.

There are no known water wells, abandoned wells, disposal wells, drilling wells, shut-in wells, injection wells, monitoring or observation wells for other resources within a one-mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

There are no other Gulf Oil Corporation tank batteries production facilities, oil gathering lines, gas gathering lines, injection lines or disposal lines within a one-mile radius of this location site.

In the event production is established; the produced fluids will be contained within temporary storage facilities until plans can be made and submitted to the appropriate authorities for distribution of the produced product.

The area to be used in the containment will be built of possible, with native materials and if these materials are not available then the necessary arrangements will be made to get them from private sources.

These facilities will be constructed using bulldozers, graders, and workman crews to construct and place the proposed facilities.

If there is any deviation from the above, all appropriate agencies will be notified.

Rehabilitation of disturbed areas no longer needed for operations after construction is completed will meet the requirements of Item #10.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

5. LOCATION AND TYPE OF WATER SUPPLY

See Topographic Map "B".

Water to be used in the drilling of this well will be hauled from the Green River near the junction of the Watson Road and Highway 88, in Sec. 33, T8S, R20E, S.L.B. & M. This water will be hauled by truck over existing roads  $\pm$  8.4 miles to the location site.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction materials for this location site and access road shall be borrow materials accumulated during construction of the location site and access road. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of sandy-clay soil and sandstone and shale material gathered during the actual construction of the road and location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A reserve pit will be constructed.

The reserve pit will vary in size and depth according to the water table at the time of drilling.

One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one-half will be used to store non-flammable materials such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

If deemed necessary by the agencies concerned, to prevent contamination to surrounding areas, the reserve pits will be lined with a gel.

The pits will have wire and overhead flagging installed at such time as deemed necessary to protect the water fowl, wildlife, and domestic animals,

At the onset of drilling, the reserve pit will be fenced on three sides and at the time the drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that backfilling and reclamation activities are attempted.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

7. METHODS OF HANDLING WASTE DISPOSAL - cont...

When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements of Item #10 will be followed.

A portable trash basket will be placed on the location site and all trash will be hauled to the nearest Sanitary Landfill.

A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See Location Layout Sheet.

The B.I.A. Representative shall be notified before any construction begins on the proposed location site.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type material necessary to make them safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See Location Layout Sheet and Item #9). When all drilling and production activities have been completed, the location site will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during the construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash pit shall be buried with a minimum of 5' of cover.

Restoration activities shall begin within 90 days after completion of the well. Once restoration activities have begun, they shall be completed within 30 days.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

10. PLANS FOR RESTORATION OF SURFACE - cont...

When Restoration activities have been completed, the location site shall be reseeded with a seed mixture recommended by the B.I.A. Representative when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner, and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area (See Topographic Map "A".)

The area is a large basin formed by the Uinta Mountains to the North and the Book Cliff Mountains to the South. The White River is located approximately 3.5 miles to the South of the location site.

The basin floor is interlaced with numerous canyons and ridges formed by the non-perennial streams of the area. The sides of these canyons are steep and ledges formed in the sandstone, conglomerates, and shale deposits are extremely common to the area.

The geologic structures of the area that are visible are of the Uinta Formation (Eocene Epoch) Tertiary Period in the upper elevations and the cobblestone and younger alluvial deposits from the Quaternary Period.

Outcrops of sandstone ledges, conglomerate deposits, and shale are common in this area.

The topsoils in the area range from a light brownish-gray sandy-clay (SM-ML) type soil with poorly graded gravels to a clayey (OL) type soil.

The majority of the numerous washes and streams in the area are of a non-perennial nature flowing during the early spring run-off and extremely heavy rainstorms of long duration which are extremely rare as the annual rainfall in the area is only 8".

The White River to the South of this location is the only perennial stream that is affected by this location site.

Due to the low precipitation average, climate conditions, and the marginal types of soils, the vegetation that is found in the area is common of the semi-arid region we are located in; it consists of areas of sagebrush, rabbitbrush, some grasses, and cacti as the primary flora. This is also true of the lower elevations.

The fauna of the area consists predominantly of the mule deer, pronghorn antelope, coyotes, rabbits, and varieties of small ground squirrels and other types of rodents. The area is used by man for the primary purpose of grazing domestic sheep and cattle.

GULF OIL CORPORATION  
Wonsits Valley #124  
Section 15, T8S, R21E, S.L.B. & M.

11. OTHER INFORMATION - cont...

The birds of the area are raptors, finches, ground sparrows, magpies, crows and jays.

The Topography of the Immediate Area (See Topographic Map "B").

Wonsits Valley #124 is located on a relatively flat plateau area which slopes gradually to the Southwest at approximately a 2% grade.

The vegetation in the immediate area surrounding the location site consists of grasses and sparse amounts of sagebrush.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

Emmitt Booher  
Gulf Oil Corporation  
P.O. Box 2619  
Casper, WY 82601

Tele: 1-307-235-1311

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by GULF OIL CORPORATION & its contractors and subcontractors in conformity with this plan and terms and conditions under which it is approved.

July 3, 1980  
DATE

Emmitt Booher  
EMMITT BOOHER



HYDROSTATIC PRESSURE TEST - B.O.P.'s

GULF OIL - WONSIT VALLEY #124

BRINKERHOFF - RIG # 85

DECEMBER 12, 1980

by

YELLOW JACKET TOOLS AND SERVICES, INC.

VERNAL, UTAH

TESTED BY: LON HANDLEY

TICKET NO. 20040

December 29, 1980

Gentlemen,

We made a hydrostatic pressure test on your Wonsit Valley #124, located in the Ouray, Utah area, in the Casper, Wyoming district.

Test was made using (plug) 10" OCT or (packer) \_\_\_\_\_ or (both) \_\_\_\_\_.

When we arrived, the rig was nipping up

These changes were made to BOP since previous test first test

List any delay observed to operation of BOPs during test: and, loss of closing pressure (other than hydril test) none

\_\_\_\_\_. (Corrected) \_\_\_\_\_.

List items replaced during testing: none

Closures were made using pump \_\_\_\_\_ accumulators \_\_\_\_\_ both x with observed pressure of 2000 for test to ram type BOPs and 1000 for test on Hydril.

Accumulator bottles 6 were pressured to 2000 at end of test.

Control valves operating as indicated on closing unit manifold except: none

Extensions were \_\_\_\_\_ or were not x hooked up to BOPs at end of test.

No test desired to Casing

Not in rig inventors at time of test none


Items leaking at the conclusion of testing and/or malfunction of BOPs at end of test; none

A drawing of surface control equipment has been prepared to show any leaks and malfunctions. A report taken from field notes and a pressure chart of the test, are also enclosed.

Your comments and suggestions will be appreciated, 915-366-4436.

Sincerely yours,

Yellow Jacket Tools and Services, Inc.

  
Billy Duff  
President  
bde/Enclosures


COMPANY GULF OIL

Well WONSIT VALLYE #124


Date DECEMBER 12, 1980




Test #	Chart #1	Items Tested	Pressure Pt.	Pressure	Minutes Held	Results
1		Blind rams, chokeline and manifold, kill line with choke manifold and kill-line valves closed	2" connection	3000#		Leak through plug on side of BOP
2	"	"	"	3000#		Leak between spacer spool flange and wellhead
3	"	"	"	3000#		Same leak
4	"	"	"	3000#		Same leak
5	"	"	"	3000#		Same leak
6	"	"	"	3000#		Leak through bull plug on spacer spool
7	"	"	"	3000#		Same leak
8	"	"	"	3000#		Same leak
9	"	"	"	3000#	30 min	No visible leak
10		Pipe rams with inside valve on chokeline closed	down drill pipe	3000#		Leak through down hole tester
11	"	"	"	3000#		Same leak
12	"	"	"	3000#	30 min	No visible leak
13		Hydril	"	1500#	30 min	Loss repressure No visible leak
14		Lower Kelly Cock	kelly tester	3000#	15 min	No visible leak
15		Upper Kelly Cock	"	3000#	15 min	No visible leak
16		Safety valve	"	3000#	15 min	No visible leak




Items Leaking DURING Testing 12-12-80






No visible Leaks at CONCLUSION of Testing

12-12-80





LAB

## CORE LABORATORIES, INC.

Petroleum Reservoir Engineering

COMPANY GULF OIL EXPLOR. & PROD. CO. FILE NO. RP-4-5911  
WELL UNIT 124 DATE DEC-29-60  
FIELD WONSITS VALLEY FORMATION GREEN RIVER ELEV. 4819 KB  
COUNTY UINTAH STATE UTAH DRLG. FLD. KCL NONDISPERSED CORES \_\_\_\_\_  
LOCATION NW SE SEC 15-T8S-R21E

**CORRELATION COREGRAPH**

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc., (all errors or omissions excepted); but Core Laboratories, Inc., and its officers and employees, assume no responsibility and make no warranty or representations as to the productivity, proper operation, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

Total Water \_\_\_\_\_

PERCENT PORE SPACE  
100 80 60 40 20 0

Oil Saturation \_\_\_\_\_

PERCENT PORE SPACE

Gamma Ray

RADIATION INCREASE →

Permeability \_\_\_\_\_

MILLIDARCIES

Porosity \_\_\_\_\_

PERCENT

1000

100

10

1

Depth

Feet

30

20

10

0

0

20

40

60

80

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

DRILLED

5195

5200

5242

## INTERPRETATION OF DATA

5230.0-5242.0 Feet - Non-productive due to low permeability.

These recovery estimates represent theoretical maximum values for solution gas and water drive. They assume that production is started at original reservoir pressure; i.e., no account is taken of production to date or of prior drainage to other areas. The effects of factors tending to reduce actual ultimate recovery, such as economic limits on oil production rates, gas-oil ratios, or water-oil ratios, have not been taken into account. Neither have factors been considered which may result in actual recovery intermediate between solution gas and complete water drive recoveries, such as gas cap expansion, gravity drainage, or partial water drive. Detailed predictions of ultimate oil recovery to specific abandonment conditions may be made in an engineering study in which consideration is given to overall reservoir characteristics and economic factors.

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted);

FROM : DISTRICT GEOLOGIST ME, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

Cody  
LEASE NO. U-0806

OPERATOR: Gulf Oil

WELL NO. 124

LOCATION: SE $\frac{1}{2}$  NW $\frac{1}{2}$  SE $\frac{1}{2}$  sec. 15, T. 8 S., R. 21 E., S4M

Vintah County, Utah

1. Stratigraphy: Operator tops are lousy. U.S.G.S. estimates:

Vintah surface

Green River ~ 2200'

TD      5500'

2. Fresh Water:

Probable in the Vintah.

Useable/saline water in Birds nest (~3100') & Douglas Creek (~3900') aquifers

3. Leasable Minerals:

Oil Shale in the Green River.

Mahogany zone will be encountered at ~ 3500'.

Saline minerals may occur from 2700' to 3500'.

Prospectively valuable for gilsonite.

4. Additional Logs Needed:

Include some type of porosity log through the Green River

5. Potential Geologic Hazards: None expected.

6. References and Remarks:

Signature:

Gregory W Wood

Date:

7-21-80

4.



# Gulf Oil Exploration and Production Company

J. L. Goolsby  
PRODUCTION MANAGER, CASPER AREA

P. O. Box 2619  
Casper, WY 82602

Date: January 15, 1981


Utah Dept. of Natural Resources  
Division of Oil, Gas & Mining  
1588 West North Temple  
Salt Lake City, UT 84116

RE: Wonsits Valley #124

Gentlemen:


Enclosed please find two copies of a hydrostatic pressure test run on the above captioned well dated December 12, 1980.

Very truly yours



R.C. Smith

CMR/bh  
Attachments



JAN 19 1981

DIVISION OF  
OIL, GAS & MINING



A DIVISION OF GULF OIL CORPORATION

CORE LABORATORIES, INC.  
*Petroleum Reservoir Engineering*  
DALLAS, TEXAS

CORE ANALYSIS REPORT

FOR

GULF OIL EXPLD. & PROD. CO.

UNIT 124  
WONSITS VALLEY FIELD  
UINTAH COUNTY, UTAH



FEB 2 1961

DIVISION OF  
OIL, GAS & MINING

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

PAGE 1

GULF OIL EXPLOR. & PROD. CO.  
 UNIT 124  
 WONSITS VALLEY FIELD  
 UTAH COUNTY, UTAH

DATE : DEC-29-80  
 FORMATION : GREEN RIVER  
 DRUG. FLUID: KCL NONDISPERSED  
 LOCATION : NW SE SEC 15-T8S-R21E

FILE NO : RP-4-5911  
 ANALYSTS : BERNDT  
 ELEVATION: 4819 KB

CONVENTIONAL CORE ANALYSIS--BOYLE'S LAW POROSITY

SAMPLE NUMBER	DEPTH	PERM Ka MAXIMUM	POR. He	FLUID OIL	SATS. WTR	GRAIN DEN	DESCRIPTION
	5100.0-18.0						SILTY SHALE NO ANALYSIS
	5118.0-95.0						DRILLED INTERVAL
	5195.0-30.0						SILTY SHALE NO ANALYSIS
1	5230.0-31.0	<0.01	3.3	50.4	34.6	2.69	SLTST, GY SL/CALC
2	5231.0-32.0	0.07	19.4	34.5	22.0	2.72	SS, BRN F-MG CALC
3	5232.0-33.0	13.	17.4	36.7	22.8	2.70	SS, BRN F-MG CALC
4	5233.0-34.0	3.64	18.1	33.1	21.2	2.68	SS, BRN F-MG CALC
5	5234.0-35.0	0.04	16.2	43.7	27.3	2.65	SS, BRN F-MG CALC
6	5235.0-36.0	2.13	18.4	33.0	26.4	2.67	SS, BRN F-MG CALC
7	5236.0-37.0	0.02	15.7	45.6	38.0	2.64	SS, BRN F-MG CALC
8	5237.0-38.0	0.11	15.8	29.8	25.8	2.67	SS, BRN F-MG CALC
9	5238.0-39.0	0.03	15.2	48.5	30.2	2.63	SS, BRN F-MG CALC
10	5239.0-40.0	0.03	16.2	36.4	36.4	2.64	SS, BRN F-MG CALC
11	5240.0-41.0	0.02	10.2	36.5	36.5	2.65	SS, BRN F-MG CALC
12	5241.0-42.0	0.06	14.8	39.1	27.4	2.66	SS, BRN F-MG CALC

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE\*  
(Obtain instructions on  
reverse side)

# SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U - 0806
2. NAME OF OPERATOR Gulf Oil Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 2619, Casper, Wyoming 82602		7. UNIT AGREEMENT NAME Wonsits Valley
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1925' FSL & 1864' FEL (SW SE)		8. FARM OR LEASE NAME Wonsits Valley Unit
14. PERMIT NO. 043-047-30745		9. WELL NO. 124
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4797' GR		10. FIELD AND POOL, OR WILDCAT Wonsits Valley Field
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 15-8S-21F
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Install Flowline	<input checked="" type="checkbox"/>

### SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

## 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Gulf is proposing to install a flowline from the Wonsits Valley Unit/State-Federal No. 124 to an existing flowline (see diagram). The required length of the flowline is approximately 368'.

Type of pipe: 3½" surface flowline  
Heating: A 1½" traceline will be installed  
Insulation: Fiberglass wrapped in tin and banded.  
Testing: The flowline will be pressured up with fluids  
Surface Disturbance: None

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING


DATE: 5-7-81  
BY: *[Signature]*

## 18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE Petroleum Engineer DATE April 22, 1981  
F. G. Weiss  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

# WONSITS VALLEY UNIT



ILM



SCOTT M. MATHESON  
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON  
Executive Director,  
NATURAL RESOURCES

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING

1588 West North Temple  
Salt Lake City, Utah 84116  
(801) 533-5771

CHARLES R. HENDERSON  
Chairman

JOHN L. BELL  
C. RAY JUVELIN  
THADIS W. BOX  
MAXILIAN A. FARBMAN  
EDWARD T. BECK  
E. STEELE MCINTYRE

CLEON B. FEIGHT  
Director

May 4, 1981

Gulf Oil Corporation  
P.O. Box 2619  
Casper, Wyoming 82601

Re: Well No. Wonsits Valley #124  
Sec. 15, T.8S. R. 21E.  
Uintah County, Utah  
(March 1981- April 1981)

Gentlemen:

Our records indicate that you have not filed the Monthly drilling reports for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.


Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

*Sandy Bates*

SANDY BATES  
CLERK-TYPIST





**DUK & DERRICK**  
**CLUB OF CASPER**  
**WYOMING**

*Ilona Maguire*

*5-11-81*

State of Utah  
Dept. of Natural Resources  
Division of Oil, Gas & Mining  
1588 West North Temple  
Salt Lake City, UT 84116

Attn: Sandy Bates  
Clerk Typist

Re: Ute 1-1C4  
1-3S-4W  
Duchesne, UT  
Dec 1980 - March 1981

Josephine Voda 2-19C5  
19-3S-5W  
Duchesne, UT  
March 1981

Wonsits Valley #124  
15-8S-21E  
Uintah, UT  
March 1981

Ute 1-1C4 is a producing well & is on the USGS form 9-329 Monthly Report of Operations.

Josephine Voda 2-19C5 is being sent to you on form DOGC-1 Report of Operations & Well Status Report.

85  
21E  
5-15 { Wonsits Valley #124 is also on the USGS form 9-329 Monthly Report of Operations for Wonsits Valley Unit.

If this is not what you want, please let me know.

*Loni Maguire*

Gulf Oil Corporation  
P. O. Box 2619  
Casper, WY 82602

April 1981 has not been completed & will be sent at the end of this month.



SUBMIT IN DUPLICATE\*

STATE OF UTAH

(See other instructions on reverse side)

## OIL &amp; GAS CONSERVATION COMMISSION

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

5. LEASE DESIGNATION AND SERIAL NO.

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wonsits Valley Unit

9. WELL NO.

# 124

10. FIELD AND POOL, OR WILDCAT

Wonsits Valley Field

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 15-8S-21E

12. COUNTY OR PARISH

Utah

13. STATE

UT

14. PERMIT NO.

43-047-30745

DATE ISSUED

7-8-80

15. DATE SPUDDED

12-7-80

16. DATE T.D. REACHED

12-28-80

17. DATE COMPL. (Ready to prod.)

6-23-81

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\*

4997' GL

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD &amp; TVD

5400'

21. PLUG, BACK T.D., MD &amp; TVD

5354'

22. IF MULTIPLE COMPL., HOW MANY\*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

0-TD

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

Green River 5240'-5269'

25. WAS DIRECTIONAL SURVEY MADE

26. TYPE ELECTRIC AND OTHER LOGS RUN

SEE ATTACHED SHEET!

27. WAS WELL CORED

Yes

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24	1509'	12 1/4"	600 SXS.	
5 1/2	15.5	5399'	7 7/8"	310 SXS.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	5245.53'	-----

31. PERFORATION RECORD (Interval, size and number)

Perf 870'-873' w/2SPM w/6 sqz holes

Perf 5240'-5269' w/2" Decent HCG

w/ 4JSPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
870'-873'	sqz w/350 sxs cmt
5240'-5269'	acidize w/2500 gal. 15% sxa & 500 gal. 15% HCL

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
6-16-81		Pumping					Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO	
6-23-81	70		→	121.10	-----	9.10	-----	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)		
		→	41.6 PD	-----	3 PD	30.0°		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

The type of logs Performed!

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

E. A. McNamee

TITLE

Area Engineer

DATE

7-15-81

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on Items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), completion and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

U.S.G.S.  
2000 Administration Bldg.  
1745 West 1700 South  
Salt Lake City, UT 84104

R. W. H.

State of UT Oil & Gas Cons. Comm.  
1588 West North Temple  
Salt Lake City, UT. 84116

## 37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Green River	5195'	5242'	Core #1
	5094'	5154'	Core #2
	5154'	5186'	Core #3
	5185'	5287'	Core #4
Green River	5230'	5269'	S.S. Brn F-MG Calc

## 38.

## GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Top Green River	2215	
Top Lower Green River	4323	

LOGS

12-10-80 ~~FDC~~ 1550'-Surf.  
~~DIL~~, ~~FSL~~ 1550'-Surf.

12-21-80 ~~CH~~ inspect csg. 8 5.8"

12-28-80 ~~DIL~~, ~~BHC-Sonic~~ 1528'-Surf.

1-10-81 ~~CBL~~, Temp Surv 1700'-0'

1-14-81 ~~DIL-FDC-CNL~~, ~~BHC~~ 5732'-1703'

4-16-81 ~~GR-N & CLL~~ 5354'-3439'  
~~CBL-CLL~~ 5354'-1600'

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. NA  
Communitization Agreement No. NA  
Field Name NA  
Unit Name WONSITS VALLEY  
Participating Area GREEN RIVER  
County UINTAH State UTAH  
Operator GULF OIL CORPORATION

☐ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells)  
for the month of September, 19 81

(See Reverse of Form 9-329 for Instructions)

PAGE 4 of 5

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	30	577	28	13	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	29	2,254	227	2,290	E
109	SE NE15	8S	21E	POW	30	3,261	289	549	
110	SE NW14	8S	21E	POW	28	313	79	833	R, E
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	30	409	455	2,950	
113	NW SE13	8S	21E	WIW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0	
116	SW SE SE 11	8S	21E	POW	30	449	143	1,684	
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	30	522	70	0	
126	NW NE21	8S	21E	POW	30	2,532	0	0	
128	SE SW10	8S	21E	POW	30	736	205	0	
132	NW NW15	8S	21E	POW	30	226	0	0	
135	NE NE21	8S	21E	POW	8	1,328	0	271	1st Prod. 9/23
136	NE NW21	8S	21E	DRG					
TOTAL						49,403	18,105	130,642	
135	NE NE21	8S	21E	10/1 flowed well to 400 bb tank. Produced 110 BO, 29 BW, 31.8 Gvty .03% BSW (Sample taken from tank after heating & draining wtr off). 26.5 @ 60° gravity. Perfd 5-1/2" csg 5148-62' 4 JHPF. Treated well dn 2-7/8" tbg w/15% MSR acid w/add. Flushed to perfs.					
136	NW NW21	8S	21E	Spud 1400 hrs 9/13. API 43-047-31047. WOCU.					

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO336

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Case No.

NA

Communization Agreement No.

NA

Field Name

NA

Unit Name

WONSITS VALLEY

Participating Area

GREEN RIVER

County

UINTAH

State

UTAH

Operator

GULF OIL CORPORATION

☐ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of October, 19 81

PAGE 4 of 5

(See Reverse of Form 9-329 for Instructions)

Well No.	Sec. & N of N	TWP	RNG	Well Status	Days Prod.	Barrels of Oil	MCF of Gas	Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	31	442	20	14	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	31	2,307	204	2,344	
109	SE NE15	8S	21E	POW	31	1,537	120	55	
110	SE NW14	8S	21E	POW	31	328	71	907	
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	30	948	929	3,008	
113	NW SE13	8S	21E	WIW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0	
116	SW SE SE 11	8S	21E	POW	31	460	130	1,643	
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	28	544	64	0	R
126	NW NE21	8S	21E	POW	31	2,248	0	0	
128	SE SW10	8S	21E	POW	31	739	179	0	
132	NW NW15	8S	21E	POW	31	226	0	0	
135	NE NE21	8S	21E	POW	30	2,449	0	348	IPE
136	NE NW21	8S	21E	POW	17	1,518	0	0	1st prod 10/15/81
TOTAL						51,097	16,408	123,268	
84-2	SW NW23	8S	21E	DRG	API 43-047-31049. 53 jts	047-31049. 8-5/8" csg	Spud @ 30 hrs 10/28/81. set @ 1699'.		On 11/1/81 1700'.
134	SE SE16	8S	21E	RURT	11/1/81				
135	NE NE21	8S	21E	IP test date	0/7/81. Produced 93 BO from GR perfs 5148-5162. 5350 TD, 5308	0/7/81. Produced 93 BO 10 BW, 15 MCF w/FTP 25 lbs Gr. of oil 29.3° API. GOR 161. PBTB.			
136	NE NW21	8S	21E	RIH w/4" perf	gun & shot 8 sqz holes fr 3825-3827, then sqzd perfs. 5-1/2" csg set @ 3603'. Perf 5-1/2" csg @ 5193-5205 w/4 JHPF. Treated well dn 2-7/8" tbg w/1000 gal 15% Spearhead acid w/add. IP test date 10/21/81. Produced 120 BO, tr wtr, G TSTM from GR perfs 5193-5205 w/10 PSI FTP. Gr of oil 30.9° API corrected. 5320 TD, 5263				

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-R0356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. \_\_\_\_\_ NA  
Communitization Agreement No. \_\_\_\_\_ NA  
Field Name \_\_\_\_\_ NA  
Unit Name \_\_\_\_\_ WONSITS VALLEY  
Participating Area \_\_\_\_\_ GREEN RIVER  
County \_\_\_\_\_ UINTAH State \_\_\_\_\_ UTAH  
Operator \_\_\_\_\_ GULF OIL CORPORATION

☐ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells)  
for the month of November, 19 81

(See Reverse of Form 9-329 for Instructions)

PAGE 4 of 5

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	30	470	20	16	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	30	2,192	170	2,227	
109	SE NE15	8S	21E	POW	30	1,461	100	52	
110	SE NW14	8S	21E	POW	30	256	50	847	
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	30	947	826	2,950	
113	NW SE13	8S	21E	WTW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0	
116	SW SE SE 11	8S	21E	POW	27	445	111	1,347	P
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	30	623	66	0	
126	NW NE21	8S	21E	POW	25	2,906	0	0	IPE, P
128	SE SW10	8S	21E	POW	30	717	155	0	
132	NW NW15	8S	21E	POW	30	216	0	0	
134	SE SE16	8S	21E	WOCU	0	0	0	0	
135	NE NE21	8S	21E	POW	30	3,369	1,184	368	
136	NE NW21	8S	21E	POW	23	1,629	0	0	BHP
84-2	SW NW32	8S	21E	Evaluating	0	0	0	0	
88-2	NW SW12	8S	21E	DRG	0	0	0	0	
TOTAL						50,375	15,210	117,546	
84-2	SW NW23	8S	21E	Core #1 5080-5120. 5-1/2" csg set @ 5204'. Set pkr @ 4025'. Set pkr @ 4911', nipple @ 4881. Perf 5-1/2" csg @ 5094-5106 w/4 JHPF. Trtd well dn tbg w/1500 gal 15% spearhead acid. 12/1/81 Will swb & evaluate.					
88-2	NW SW12	8S	21E	API #43-047-31048. El. 4970 GL. Spud 11/10/81 @ 1600 hrs. 8-5/8" csg set @ 1729'. 12/1/81 5523'. TIH Green Rvr. 5 cores.					
134	SE SE16	8S	21E	Spud @ 200 hrs on 11/3/81. 7-5/8" csg set @ 2110'. On 11/23/81 WOCU.					

FILE IN QUADRUPLICATE  
FORM OGC-8-X

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number: Wonsits Valley Unit #124  
Operator: Gulf Oil Corp. Address: P.O. Box 2619 Casper, Wyo 82602  
Contractor: Brinkerhoff Signal #85 Address: 3400 Anaconda Tower Denver, Colo 80202  
Location NW 1/4 SW 1/4; Sec. 15 T. 8 ~~N~~<sub>S</sub>, R. 21 ~~E~~<sub>S</sub>; Uintah County.

Water Sands:

<u>Depth:</u>		<u>Volume:</u>	<u>Quality:</u>
From-	To-	Flow Rate or Head	Fresh or Salty
1.	<u>No Water</u>		
2.			
3.			
4.			
5.			

(Continue on Reverse Side if Necessary)

Formation Tops:

Remarks:

- NOTE: (a) Upon diminishing supply of forms, please inform this office.  
(b) ~~Report~~ Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.  
(c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

Form OGCC-3

STATE OF UTAH

SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

OIL &amp; GAS CONSERVATION COMMISSION

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> Other _____				5. LEASE DESIGNATION AND SERIAL NO. U-0806	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____				6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Gulf Oil Corp.				7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR P.O. Box 2619 Casper, Wyo. 82601				8. FARM OR LEASE NAME Wonsits Valley Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1925' FSL & 1864' FEL Sec. 15-8S-21E At top prod. interval reported below At total depth				9. WELL NO. #124	
14. PERMIT NO. Utah 43-047-30745				12. COUNTY OR PARISH Uintah	
DATE ISSUED 7-8-80				13. STATE UT	
15. DATE SPUDDED 12-7-80	16. DATE T.D. REACHED 12-28-80	17. DATE COMPL. (Ready to prod.) 6-23-81	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4997' GL.	19. ELEV. CASINGHEAD	
20. TOTAL DEPTH, MD & TVD 5400'	21. PLUG, BACK T.D., MD & TVD 5354'	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY → 0-TD	ROTARY TOOLS CABLE TOOLS	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Green River 5240-5269'				25. WAS DIRECTIONAL SURVEY MADE	
26. TYPE ELECTRIC AND OTHER LOGS RUN See Attached Sheet				27. WAS WELL CORED Yes	
28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24	1509'	12 1/4"	600 SXS	
5 1/2"	15.5	5399'	7 7/8"	310 SXS	
29. LINER RECORD					
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	
30. TUBING RECORD					
SIZE	DEPTH SET (MD)	PACKER SET (MD)			
2 7/8"	5245.53'	---			
31. PERFORATION RECORD (Interval, size and number)			32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.		
Perf 870'-873' w/2SPM w/6 sqz holes			DEPTH INTERVAL (MD)		
Perf 5240'-5269' w/2" Decent HCG w/4JSPF			AMOUNT AND KIND OF MATERIAL USED		
			870'-873' Sqz w/350 sxs cmt		
			5240'-5269' Acidize w/2500 gal 15% sxs & 500 gal 15% HCL		
33. PRODUCTION					
DATE FIRST PRODUCTION 6-16-81		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping			WELL STATUS (Producing or shut-in) Producing
DATE OF TEST 6-23-81	HOURS TESTED 70 hrs.	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL. 121.10	GAS—MCF. ---
FLOW. TUBING PRESS.		CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL. 41.6 PD	GAS—MCF. ---
				WATER—BBL. 3 PD	OIL GRAVITY-API (CORR.) 30.00
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)					TEST WITNESSED BY
35. LIST OF ATTACHMENTS					
The Type of Logs Performed					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED <u>E. A. Mc Linn</u>		TITLE Area Engineer		DATE 12-16-81	

\*(See Instructions and Spaces for Additional Data on Reverse Side)



# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

State of UT Oil & Gas Cons. Comm.  
1588 West North Temple  
Salt Lake City, UT 84116

U.S.G.S.  
200 Administration Bldg.  
1745 West 1700 South  
Salt Lake City, UT 84108

R.W.H.

## 37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Green River	5100'	5113'	Core #1 13' full rec.
	5113'	5118'	Core #2 5' cut 3' rec.
	5195'	5223'	Core #3 28' full rec.
	5223'	5242'	Core #4 19' full rec.
			ss; Brn. F-MG Calc

## 38.

## GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Top Green River	2215	
Top Lower Green River	4323	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. \_\_\_\_\_  
Communitization Agreement No. \_\_\_\_\_  
Field Name \_\_\_\_\_  
Unit Name \_\_\_\_\_  
Participating Area \_\_\_\_\_  
County \_\_\_\_\_ State \_\_\_\_\_  
Operator \_\_\_\_\_

☐ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells)  
for the month of January, 1982.

(See Reverse of Form 9-329 for Instructions)

PAGE 4 of 5

Well No.	Sec. & 1/4 of 1/4	TWP	R&G	Well Status	Days Prod.	Barrels of Oil	MCF of Gas	Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	31	767	17	38	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	31	1,963	78	1,917	
109	SE NE15	8S	21E	POW	31	1,158	41	89	
110	SE NW14	8S	21E	POW	31	286	29	686	
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	21	214	95	1,261	SWD
113	NW SE13	8S	21E	WIW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2	8S	21E	TA 4/24/81	0	0	0	0	
	SW 4								
116	SW SE	8S	21E	POW	24	453	58	1,789	E. R.
	SE 11								
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	31	338	18	0	
126	NW NE21	8S	21E	POW	31	2,448	0	0	
128	SE SW10	8S	21E	POW	31	689	76	0	
132	NW NW15	8S	21E	POW	31	676	0	0	
134	SE SE16	8S	21E	Tstg	-	-	-	-	
135	NE NE21	8S	21E	POW	31	2,515	450	186	
136	NE NW21	8S	21E	POW	29	2,893	0	0	
84-2	SW NW23	8S	21E	POW	5	24	0	31	1st prod 1/27/82
88-2	NW SW12	8S	21E	POW	6	248	0	701	1st prod 1/20/82 IPE
				TOTAL		43,708	5,540	70,591	
84-2	SW NW23	8S	21E	1/27/82 finish hooking up pmpg unit & started pmpg @ 12 a.m. on 1/27/82. On 2/1/82 had bad valve on tank, SD for replacement.					
88-2	NW SW12	8S	21E	Set pkr @ 5303'. RU NL McCullough & perf 5491-5503 w/4 6.5 gram SPF. Press tsted lines & acid w/2000 gal 15% M-acid w/add. Dropped 1-7/8" 1.3 SG ball sealers/50 gal of fluid pmpd. Flushed to perms w/form wtr w/2 gal L53. Hooked well into tank & swbd. 1st prod. 1/20/82. IPE & pmp to tank @ 8:30 a.m. 1/31/82.					
134	SE SE16	8S	21E	RIH w/2" gun, correlate & perf 2010-2020 w/4 SPF. Pkr @ 1927.53', btm tailpipe @ 1989.22'. RU Halliburton & spearhead 50,000 SCF Nitrogen followed by 1000 gal 15% HCL w/add. RU Wellex & RIH w/2" gun, correlate & perf 1964-1973 w/4SPF. Spearhead 50,000 SCF nitrogen followed by 500 gal 15% HCL w/add. RU Wellex & RIH w/2" gun, correlate & perf 1872-1879 w/4 SPF. Tagged TOC @ 1913, cmt ret @ 1950'. Spearhead 50,000 SCF N2 & pmpd 500 gal 15% HCL w/add. Correlate & perf 1416-1430 w/2 SPF. Spearhead 50,000 SCF N2. Pmpd 1500 gal 15% HCL w/add. 1/31/82 Tstg.					

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐  
well well other

2. NAME OF OPERATOR

Gulf Oil Corporation; Attn: R. W. Huwaldt

3. ADDRESS OF OPERATOR

P.O. Box 2619, Casper, WY 82602-2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1925' FSL & 1864' FEL

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☒

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) ☐

SUBSEQUENT REPORT OF:

☐

☐

☒

☐

☐

☐

☐

☐

☐

5. LEASE

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wonsits Valley Unit

9. WELL NO.

#124

10. FIELD OR WILDCAT NAME

Wonsits Valley Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 15-T8S-R21E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

14. API NO.

43-047-30745

15. ELEVATIONS (SHOW DF, KDB, AND WD)

4997' ground

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF  
GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

MI and RU Western to annulus of 5 1/2" casing and 2 7/8" tubing. Pressure test lines to 5000 psi. SI FL and put 1000 psi on 2 7/8" tubing with rod pump. SD PMP JK. Acidized perfs 5,240'-5269' with 1,500 gals 15% HCL plus 150 gals acetic acid, 8 gals CS-3, 8 gals LT-22, 1 1/2 gals I-10B, 5 gals XR-2L, 8 gals clay master III. Pumped acid to perfs at 5 BPM and 0 psi. DSPLCD acid to perfs at 6.6 BPM and 150 psi with 185 BFSW mixed with 2% KCL. ISIP = 100 psi, 1 min = 0 psi. RD and MO Western. Well SI for 24 hours. 221 BLWTR. Return to production at 9:00 a.m. December 13, 1983 to Battery #5.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED D. F. McHugo TITLE Production Engineer DATE December 28, 1983

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Bureau of Land Management  
2000 Administration Building  
1745 West 1700 South  
Salt Lake City, UT 84104-3884

State of Utah  
Dept. of Natural Resources  
Division of Oil, Gas and Mining  
4241 State Office Building  
Salt Lake City, Utah 84114

DeGloyer & MacNaughton  
1 Energy Square  
Dallas, TX 75206

RWH - Info

DFM

KSA

RECEIVED

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APR 25 1985

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)  
DIVISION OF **GAS & MINING**

1. ☒ oil well ☐ gas well ☐ other

2. NAME OF OPERATOR

GULF OIL CORPORATION ATTN R.W.HUWALDT

3. ADDRESS OF OPERATOR

P O BOX 2619, CASPER, WY 82602 2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) Blanket Sundry

5. LEASE

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsit Valley

8. FARM OR LEASE NAME

Wonsits Valley Unit St/Fed

9. WELL NO.

#124

10. FIELD OR WILDCAT NAME

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

85. 21 E. 15

12. COUNTY OR PARISH: 13. STATE  
Uintah Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDS, AND WD).

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Per conversation between K. S. Aslesen & J. Sparger, on March 27, 1985, Temporary lined work pits will be used for all future casing repair work.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

*J.R. Bucek*

TITLE AREA ENGINEER

DATE

APR 19 1985

J.R. BOCEK (This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

# Gulf Oil Exploration and Production Company

L. G. Rader  
PRODUCTION MANAGER - CASPER AREA

July 2, 1985

P. O. Box 2619  
Casper, WY 82602

State of Utah  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

RECEIVED

JUL 05 1985

Gentlemen:

DIVISION OF  
GAS & MINES

Effective July 1, 1985, the corporate name of Gulf Oil Corporation was changed to Chevron U.S.A. Inc. This will be applicable to all operations, agreements, contracts, documents, and permits of Gulf Oil Corporation in the area of and/or under your jurisdiction.

The attached information is being furnished to facilitate the name change of appropriate records under your authority, and submitted as our understanding of the procedure required to accomplish the change.

Please advise this office or the office listed on the attachments should additional information be needed.

Sincerely,



L. G. Rader

KWR/mdb

Attachments



A DIVISION OF GULF OIL CORPORATION

TELEPHONE: (307) 235-1311

<u>Lease Name</u>	<u>Field</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>County</u>	<u>State</u>
Wonsits Unit #3	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Unit #4	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Unit #5	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Unit #7	Wonsits WV	5	8S	22E	Uintah	UT
Wonsits Unit #9	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Valley Unit #1	Wonsits WV	8	8S	22E	Uintah	UT
Wonsits Valley Unit #10	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #100	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #102	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #103	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #104	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #105	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #106	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #107	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #108	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #109	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #11	Wonsits WV	12	8S	22E	Uintah	UT
Wonsits Valley Unit #110	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #111	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #112	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #113	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #114	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #115	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #116	Wonsits WV	7	8S	21E	Uintah	UT
Wonsits Valley Unit #117	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #118	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #12	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #124	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #126	Wonsits WV	21	8S	21E	Uintah	UT
Wonsits Valley Unit #128	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #13	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #132	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #134	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #135	Wonsits WV	21	8S	21E	Uintah	UT
Wonsits Valley Unit #136	Wonsits WV	21	8S	21E	Uintah	UT
Wonsits Valley Unit #137	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #138	Wonsits WV	18	8S	22E	Uintah	UT
Wonsits Valley Unit #14	Wonsits WV	12	8S	21E	Uintah	UT

06/27/85  
leases gulf operated/file2

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

070717

7. UNIT AGREEMENT NAME

Wonsits Valley Federal

8. FARM OR LEASE NAME

WVFU

9. WELL NO.

124

10. FIELD AND POOL, OR WILDCAT

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

S15, T8S, R21E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface

1925' FSL (NW, SE)

1864' FEL

14. PERMIT NO.

43-047-30745

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

5011' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

PCLL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

WATER SHUT-OFF

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any  
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-  
nent to this work.) \*

It is proposed to acidize and fracture stimulate WVFU #124 as follows:

1. Move in rig and rig up. Pull rods and pump. Nipple down wellhead. Nipple up BOPE.
2. Pull production tubing. Clean out to PBTD @ 5354'.
3. Pressure test casing and isolate leaks if any.
4. Acidize perfs @ 5240'-5269' (G-1) with 1000 gals 15% HCL.
5. Swab back load.
6. Fracture stimulate perfs @ 5240'-5269' (G-1) with 30,000 gals gelled fluid containing 40,000# 16/30 sand. Tag sand with RAM.
7. Swab back load.
8. Clean out sand to PBTD @ 5354'.
9. Run Gamma Ray Log across fractured interval.
10. Run production tubing. Nipple down BOPE. Nipple up wellhead.
11. Run pump and rods. Release rig and return well to production.

3-BLM  
3-State  
1-EEM  
3-Drlg  
1-File

18. I hereby certify that the foregoing is true and correct

SIGNED

*J. L. Watson*

TITLE Office Assistant

DATE June 17, 1987

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE: 6-29-87

BY: *John R. Day*

\*See Instructions on Reverse Side

Federal approval of this action  
is required before commencing  
operations.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

081307

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface

1925' FSL (NW,SE)

1864' FEL

14. PERMIT NO.

43-047-30745

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5011' KB

7. UNIT AGREEMENT NAME

Wonsits Valley Federal

8. FARM OR LEASE NAME

WVFU

9. WELL NO.

124

10. FIELD AND POOL, OR WILDCAT

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

S15; T8S, R21E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETION

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☒  
☒

FRACTURE TREATMENT

~~SHOOTING~~ OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

☐  
☐  
☐  
☐  
☐

(Note: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

WVFU #124 was acidized, fracture stimulated and returned to production on 7/31/87 as follows:

1. MIRU Western Oil Well Service #18 on 7/25/87. Pulled rods and pump.
2. N/D wellhead. N/U BOPE and test. Pulled production string.
3. Cleaned out to 5341'.
4. Tested casing to 1000 psi. Tested good.
5. Acidized perfs @ 5240'-69' (G-1) with 1000 gals 15% HCL. Swab back load.
6. Fractured stimulated perfs @ 5240'-69' (G-1) with 34,500 gals of gelled 2% KCL carrying 33,500# 16/30 sand.
7. Cleaned out sand to PBTD.
8. Ran GR across fractured interval.
9. Ran production string. N/D BOPE. N/U wellhead. Ran pump and rods.
10. Released rig and returned well to production.

3 - BLM  
3 - State  
1 - EEM  
3 - Drlg  
1 Sec. 724-C  
1 - PLM  
1 - File

18. I hereby certify that the foregoing is true and correct

SIGNED

*J. H. Utter*

TITLE Office Assistant

DATE August 3, 1987

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:


\*See Instructions on Reverse Side

30745

Tr. T.U. 124

Sec 15, T8 S0, R21E

Subby 4/18/89



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil ☐ Gas  
☒ Well ☐ Well ☐ Other

2. Name of Operator

Chevron U.S.A. Inc.

3. Address and Telephone No.

P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1925' FSL, 1864' FEL, SEC. 15-T8S-R21E

5. Lease Designation and Serial No.

U-0806

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Wonsits Valley Fed. Unit

8. Well Name and No.

WVFU #124

9. API Well No.

43-047-30745

10. Field and Pool, or Exploratory Area

Wonsits Valley-Grn. River

11. County or Parish, State

Uintah, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Acid Fracturing

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The following work was completed between 03/01-03/04/93.

- TOH with production equipment and cleaned out to 5454' PBTD.
- TIH and set packer at 5140'. Successfully tested casing to 300 PSI.
- RU Halliburton and acid fractured well with 15,500 gals. of 28% HCL.
- Flow/swab test well.
- Run production equipment and RTP.

RECEIVED

MAR 15 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

03/11/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil Gas  
☐ Well ☐ Well ☒ Other **MULTIPLE WELLS SEE ATTACHED LIST**

2. Name of Operator  
**CHEVRON U.S.A. INC.**

3. Address and Telephone No.  
**11002 E. 17500 S. VERNAL, UT 84078-8526**

**(801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation

**Wonsits Valley Federal Unit  
14-08-001-8482**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

**Wonsits Valley - Green River**

11. County or Parish, State

**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other **CHANGE OF OPERATOR**  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form )

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit.  
The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be  
Shenandoah Energy Inc.  
475 17th Street, Suite 1000  
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By: Mitchell L. Solich  
Mitchell L. Solich  
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Signed **A. E. Wacker** A. E. Wacker

Title **Assistant Secretary**

Date **12/29/99**

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

FEB 07 2000

DIVISION OF  
OIL, GAS AND MINING

IN REPLY REFER TO  
UT-931

February 4, 2000

Shenandoah Energy Inc.  
Attn: Rae Cusimano  
475 17<sup>th</sup> Street, Suite 1000  
Denver, Colorado 80202

Re: Wonsits Valley Unit  
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.


bcc: Field Manager - Vernal (w/enclosure)  
Division of Oil, Gas & Mining  
Minerals Adjudication Group U-932  
File - Wonsits Valley Unit (w/enclosure)  
MMS - Data Management Division  
Agr. Sec. Chron  
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 9	U-0806	43-047-15440	TA	INJ
Wonsits Valley Federal Unit 16	U-0807	43-047-15447	A	INJ
Wonsits Valley Federal Unit 21	ML-2237	43-047-15452	A	INJ
Wonsits Valley Federal Unit 28-2	U-0806	43-047-31524	A	INJ
Wonsits Valley Federal Unit 31	U-0807	43-047-15460	A	INJ
Wonsits Valley Federal Unit 32	ML-2237	43-047-16513	A	OIL
Wonsits Valley Federal Unit 35	U-0807	43-047-15463	A	INJ
Wonsits Valley Federal Unit 36	U-0806	43-047-15464	A	INJ
Wonsits Valley Federal Unit 40-2	U-0806	43-047-31798	A	INJ
Wonsits Valley Federal Unit 41	U-0807	43-047-15469	A	INJ
Wonsits Valley Federal Unit 43	U-0806	43-047-15471	A	OIL
Wonsits Valley Federal Unit 48	U-0806	43-047-15476	A	OIL
Wonsits Valley Federal Unit 50	U-0807	43-047-15477	A	INJ
Wonsits Valley Federal Unit 53	U-0806	43-047-20003	A	OIL
Wonsits Valley Federal Unit 55	U-0807	43-047-20005	A	OIL
Wonsits Valley Federal Unit 59	U-0807	43-047-20018	A	INJ
Wonsits Valley Federal Unit 62	U-0806	43-047-20024	A	OIL
Wonsits Valley Federal Unit 65	U-0807	43-047-20041	A	OIL
Wonsits Valley Federal Unit 67	U-0807	43-047-20043	A	INJ
Wonsits Valley Federal Unit 68	U-0807	43-047-20047	A	INJ
Wonsits Valley Federal Unit 71-2	U-0807	43-047-32449	A	INJ
Wonsits Valley Federal Unit 72	ML-2237A	43-047-20058	A	INJ
Wonsits Valley Federal Unit 73	ML-2237	43-047-20066	A	INJ
Wonsits Valley Federal Unit 74	ML-2237	43-047-20078	A	OIL
Wonsits Valley Federal Unit 75	ML-2237	43-047-20085	A	OIL
Wonsits Valley Federal Unit 78	ML-2237	43-047-20115	A	INJ
Wonsits Valley Federal Unit 97	U-0806	43-047-30014	A	INJ
Wonsits Valley Federal Unit 103	U-0807	43-047-30021	A	OIL
Wonsits Valley Federal Unit 104	U-0807	43-047-30022	A	OIL
Wonsits Valley Federal Unit 105	U-0806	43-047-30023	A	OIL
Wonsits Valley Federal Unit 109	U-0807	43-047-30045	A	OIL
Wonsits Valley Federal Unit 110	U-0807	43-047-30046	A	OIL
Wonsits Valley Federal Unit 112	U-0807	43-047-30048	A	OIL
Wonsits Valley Federal Unit 119	U-0804	43-047-32461	A	OIL
Wonsits Valley Federal Unit 120	U-0804	43-047-32462	A	INJ
Wonsits Valley Federal Unit 121	U-0807	43-047-31873	A	OIL
Wonsits Valley Federal Unit 124	U-0807	43-047-30745	A	OIL
Wonsits Valley Federal Unit 126	U-0804	43-047-30796	A	INJ
Wonsits Valley Federal Unit 127	STATE	43-047-31611	A	OIL
Wonsits Valley Federal Unit 128	U-0806	43-047-30798	A	OIL
Wonsits Valley Federal Unit 130	U-0804	43-047-32307	A	OIL
Wonsits Valley Federal Unit 132	U-0807	43-047-30822	A	OIL
Wonsits Valley Federal Unit 133	U-0807	43-047-31706	A	OIL
Wonsits Valley Federal Unit 134	ML-2237	43-047-31118	A	OIL
Wonsits Valley Federal Unit 135-2	U-0804	43-047-32016	A	OIL
Wonsits Valley Federal Unit 136	U-0804	43-047-31047	A	OIL
Wonsits Valley Federal Unit 137	U-0806	43-047-31523	A	OIL
Wonsits Valley Federal Unit 140	U-0807	43-047-31707	A	INJ
Wonsits Valley Federal Unit 141	ML-2237	43-047-31609	A	OIL

## OPERATOR CHANGE WORKSHEET

## ROUTING

	4-KAS
2. CDW ✓	5-SJ ✓
3. JLT	6-FILE

Enter date after each listed item is completed

**X Change of Operator (Well Sold)**

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

**TO:** ( New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

WELL(S) NAME	CA No.		Unit: WONSITS VALLEY			
	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
WVFU 48	43-047-15476	5265	10	08S	21E	FEDERAL
WVFU 53	43-047-20003	5265	10	08S	21E	FEDERAL
WVFU 62	43-047-20024	5265	10	08S	21E	FEDERAL
WVFU 105	43-047-30023	5265	10	08S	21E	FEDERAL
WVFU 128	43-047-30798	5265	10	08S	21E	FEDERAL
WVFU 43	43-047-15471	5265	11	08S	21E	FEDERAL
WVFU 55	43-047-20005	5265	14	08S	21E	FEDERAL
WVFU 103	43-047-30021	5265	14	08S	21E	FEDERAL
WVFU 110	43-047-30046	5265	14	08S	21E	FEDERAL
WVFU 121	43-047-31873	5265	14	08S	21E	FEDERAL
WVFU 65	43-047-20041	5265	15	08S	21E	FEDERAL
WVFU 104	43-047-30022	5265	15	08S	21E	FEDERAL
WVFU 109	43-047-30045	5265	15	08S	21E	FEDERAL
WVFU 112	43-047-30048	5265	15	08S	21E	FEDERAL
WVFU 124	43-047-30745	5265	15	08S	21E	FEDERAL
WVFU 132	43-047-30822	5265	15	08S	21E	FEDERAL
WVFU 133	43-047-31706	5265	15	08S	21E	FEDERAL
WVFU 119	43-047-32461	5265	21	08S	21E	FEDERAL
WVFU 135-2	43-047-32016	5265	21	08S	21E	FEDERAL
WVFU 136	43-047-31047	5265	21	08S	21E	FEDERAL
WVFU 130	43-047-32307	5265	22	08S	21E	FEDERAL

## OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/22/2000

4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: \_\_\_\_\_
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

---

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 08/22/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/22/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

---

**STATE BOND VERIFICATION:**

1. State well(s) covered by Bond No.: N/A

---

**FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

---

**FILMING:**

1. All attachments to this form have been **MICROFILMED** on: 3.5.01

---

**FILING:**

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: \_\_\_\_\_

---

**COMMENTS:**

---

---

---

---

---

---

---

---

---

---



Form 3160-5  
(August 1999)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposalsFORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

<b>SUBMIT IN TRIPLICATE- Other Instructions on reverse side</b>		5. Lease Serial No. <b>U-0806</b>
1. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator <b>SHENANDOAH ENERGY INC</b> <b>CONTACT: J.T. CONLEY DIVISION MANAGER</b> <b>EMAIL: jconley@shenandoahenergy.com</b>		7. If Unit or CA Agreement, Name and No. <b>8910084820</b>
3a. Address <b>11002 EAST 17500 SOUTH</b> <b>VERNAL, UT 84078</b>	3b. Phone No. (include area code) <b>TEL: 435.781.4300 EXT: 301</b> <b>FAX: 435.781.4329</b>	8. Lease Name and Well No. <b>WVFU 124</b>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>Sec 15 T8S R21E NWSE 1925FSL 1864FEL</b>		9. API Well No. <b>4304730745</b>
		10. Field and Pool, or Exploratory <b>WONSITS VALLEY</b>
		11. County or Parish, State <b>UINTAH, UT</b>

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input checked="" type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give the subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with the BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of involved operations. If the operation results in multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Stimulation Workover performed from 06/06/2000 to 06/09/2000  
POOH with production equipment  
RIH with packer and acid frac the G1 Lime zone with 25,000 gals 28% SGA acid  
Swab back load water  
RIH with tubing and rods and return well to production

Name (Printed/Typed) <b>J.T. Conley</b>	Title <b>District Manager</b>
Signature <b>J.T. Conley</b>	Date <b>01-06-2001</b>
<b>THIS SPACE FOR FEDERAL OR STATE OFFICE USE</b>	
Approved by	Title
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Date
	Office
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction	

**ELECTRONIC SUBMISSION #2269 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE**

May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801


Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Wonsits Valley Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File – Wonsits Valley Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin  
MFU

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 119	21	080S	210E	4304732461	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 120	22	080S	210E	4304732462	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-22158	UT-0969
WVU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-806	UT-0969
WVU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	U-057	UT-0969
WVU 1W-14-8-21	14	080S	210E	4304733220	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 5W-13-8-21	13	080S	210E	4304733221	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084A	159261960
WVU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WVU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-06304	UT-0969
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P		WONSITS VALLEY	2	S	UINTAH	1	UTU-68219	UT-0969
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-9617	UT-0969
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-055	UT-0969
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785-A	159261960
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	U-0969
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	U-0969
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	UTU-057	UT-0969
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969



## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610	S	UINTAH	1	UTU-68219	UT-1237

## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:

**2/1/2003**

<b>FROM: (Old Operator):</b>	<b>TO: ( New Operator):</b>
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

WONSITS VALLEY UNIT

## WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	

## OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If NO, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2) Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 9/16/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

**Division of Oil, Gas and Mining**  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ

2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

**FROM: (Old Operator):**

N2460-QEP Uinta Basin, Inc.  
 1050 17th St, Suite 500  
 Denver, CO 80265

Phone: 1 (303) 672-6900

**TO: ( New Operator):**

N5085-Questar E&P Company  
 1050 17th St, Suite 500  
 Denver, CO 80265

Phone: 1 (303) 672-6900

**CA No.**

**Unit:**

**WONSITS VALLEY UNIT**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8- 21	WV 1W-14-8- 21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13- 8-21	WV 5W-13- 8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WV 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President

Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry	TITLE Supervisor, Regulatory Affairs
SIGNATURE 	DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER \_\_\_\_\_

2. NAME OF OPERATOR:  
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:  
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
see attached

7. UNIT or CA AGREEMENT NAME:  
see attached

8. WELL NAME and NUMBER:  
see attached

9. API NUMBER:  
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Well Name Changes
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Wonsits Valley Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Wonsits Valley Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

**ROUTING**  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM: (Old Operator):</b> N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO: (New Operator):</b> N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	--

**CA No.**

**Unit:**

**WONSITS VALLEY**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**



**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
7. UNIT or CA AGREEMENT NAME: See attached
8. WELL NAME and NUMBER: See attached
9. API NUMBER: Attached
10. FIELD AND POOL, OR WILDCAT: See attached

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>	
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 <i>City</i> Denver STATE <i>CO</i> ZIP <i>80265</i>	PHONE NUMBER: (303) 672-6900
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached	

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: **UTAH**

**11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: ~~965003033~~

Fee Land Bond Number: ~~965003033~~ *965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE *Morgan Anderson*

DATE 6/23/2010

(This space for State use only)

**RECEIVED**

**JUN 28 2010**

**DIV. OF OIL, GAS & MINING**

(See Instructions on Reverse Side)

**APPROVED** *6/30/2009*  
*Earlene Russell*  
**Division of Oil, Gas and Mining**  
**Earlene Russell, Engineering Technician**

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8- 21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13- 8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 965010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

#### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

*Roya L. Bankert*

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the ~~Eastern States~~ Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MIN. (DGM)